



**Energy Saving:** Our extruded vinyl frame and sash design uses insulating air chambers, full perimeter weatherstripping, and 7/8" insulated glass to keep out drafts and improve the comfort of your home. Optional LoE<sup>2</sup> Glass with Argon Gas provides optimal performance and additional savings on energy bills.

Quality Construction: The headboard, jambs and seatboard of all bow and bay windows are made from 1-1/4" premium grade lumber. The individual windows in a bow or bay window are fusion-welded, creating a sturdy, weather-resistant window system that will endure time and the elements. Insulated glass features a high performance Intercept® Warm-Edge Spacer to reduce condensation on the surface of the glass, and improve overall performance. Casement windows, found within the bow or bay, feature a secure multi-point locking system. A steel cable support system is standard, helping to ensure a lifetime of reliable performance.

Customized System: Complement the look of your home with a bow or bay window that blends with the exterior. Bow windows offer a more subtle, rounded appearance, while bay windows provide a more daring, angular look. Select from a 3, 4 or 5 lite bow window with one of 3 different angles of projection. Constructed of casement or double hung flanking windows with a stationary picture window center, bay windows can be mulled together at a 30° or 45° angle.

Low Maintenance Design: The exterior of the headboard, jambs and seatboard are vinyl clad, providing one of the best features a window can offer: a lifetime of low maintenance. The individual windows of the bow or bay window have several low maintenance benefits as well, including vinyl construction and easy to clean sashes. Vinyl requires minimal cleaning to sustain its brand new appearance. It will not rot, peel, flake, or corrode, virtually eliminating maintenance headaches.

#### Series 6600 Bow Window:

- Produce an elegant curved appearance with a 3, 4 or 5 lite Bow Window
- Available angles of projection: 3 & 4 lite: 10°, 15° or 30° 5 lite: 10° or 15°
- Available with equal size fixed casement windows or venting casements with choice of hinge direction

### Series 6700 Bay Window:

- Create a dramatic angular appearance with a 30° or 45° angled Bay Window
- Large picture window center with 2 flanking windows
- Flanking Windows: Choose between fixed casement windows, venting casements with choice of hinge direction or double hung windows

## **Glass Options**

Silver Line® offers several types of glass for just about any requirement. From energy savings, to sound control, to privacy, one of our many choices is sure to meet your needs.

Energy Saver LoE<sup>2</sup> Glass - Reduces heating and cooling costs, while keeping your home more comfortable all year long. Also reduces fading to window treatments, furniture and floor coverings caused by harmful UV rays.



#### Other Glass Choices Include:

- Tempered Glass
- Tinted Glass
- Obscure Glass
- LoE<sup>2</sup> Glass/Argon Gas

### **Grille Options**

Maintenance Free Grilles - Grilles are sealed inside the glass unit, providing the look of muntins without the difficulty of cleaning them. Choose from two different grille types: flat or contour grilles. Several grille patterns are available, including Colonial, Prairie and Diamond patterns.










Colonial

Prairie

Diamond

# **Color Options**

All Silver Line vinyl windows are available in white and beige. The color is consistent throughout the vinyl window frame and sash, making scratches virtually invisible.






White

For color matching purposes, request a color chip. Colors reproduced as closely as printing will allow



# Series 6600/6700 Features



#### **Custom Sizes**

Made in custom sizes within the ranges shown below:

Bow Window: Choice of 3, 4 or 5 lites with a 10°, 15° or 30° projection

3 Lite Bow

DEGREE 10° 15° 30°

MIN. Width 48½" 48¾" 47½" 94"

4 Lite Bow

DEGREE 10° 15° 30°

MIN. Width 63¾" 63½" 58"

MAX. Width 129¾" 128" 114¾"

5 Lite Bow

DEGREE 10° 15°


MIN. Width 129¾" 76½" 76½"

MAX. Width 78½" 76½" 76½"

MAX. Width 144" 144"

**Bay Window:** Choice of 30° or 45° projection in a 1/4, 1/2, 1/4 configuration

45° Projection Bay			
45° Casement		45° Double Hung	
MIN. Width	60%"	60%"	
MAX. Width	113%"	1131⁄8"	



30° Projection Bay			
30° Casement		30° Double Hung	
MIN. Width	64½"	66"	
MAX. Width	122½"	122½"	



Series 6600 Bow and Series 6700 Bay Windows:

MIN. Height 28" MAX. Height 72"

For more information on Silver Line® Windows visit us at www.silverlinewindows.com or call us at 800.234.4228